

PLEASE DO NOT WRITE ON THIS EXAM

Your instructor will provide you with the registration form you completed at the beginning of this course. Please use the back of the signed registration form to record your answers.

Read the ENTIRE question before reading the multiple choice answers. Read the ALL of the multiple choice answers before making your selection. Choose the BEST possible answer to the question.

1. Upon completion of this course, participants will be able to perform _____
 - a. renovation, remodeling, painting
 - b. lead abatement, remodeling, painting, and other activities
 - c. renovation, remodeling, painting, and lead abatement
 - d. renovation, remodeling, lead abatement, and other activities
 - e. any activity that involves removing lead paint from pre-1978 buildings
2. This course meets EPA and HUD requirements for lead-safe work practices training for _____
 - a. the purpose of permanently removing lead-based paint
 - b. the removal, encapsulation or enclosure of lead-based paint
 - c. management of lead-based paint in place using interim controls
 - d. none of these items
 - e. renovators to obtain EPA certification.
3. This course meets the requirements of _____ for renovations of pre-1978 housing.
 - a. the Environmental Protection Agency and the Occupational Safety & Health Department
 - b. the EPA and OSHA
 - c. the Occupational Safety & Health Department and the Department of Housing and Urban Development
 - d. the Environmental Protection Agency and the Department of Housing and Urban Development
 - e. none of the above
4. Lead exposure to children can cause the following:
 - a. decreased intelligence, lung cancer, behavioral problems, and hyperactivity
 - b. decreased intelligence, mesothelioma, behavioral problems, and hyperactivity
 - c. decreased intelligence, learning difficulties, behavioral problems, and hyperactivity
 - d. decreased intelligence, warts, behavioral problems, and hyperactivity
 - e. lead poisoning is not harmful if a child receives chelating therapy
5. Lead exposure to workers and other adults can cause the following:
 - a. High blood pressure, blisters and physical fatigue.
 - b. High blood pressure, loss of teeth and physical fatigue.
 - c. High blood pressure, loss of hair and physical fatigue.
 - d. High blood pressure, sexual dysfunction and physical fatigue
 - e. Lead poisoning is not harmful if an adult receives chelating therapy
6. Which of the following activities are performed when cleaning during a renovation where lead is present?
 - a. thorough sweeping is enough.
 - b. use water, detergent and any vacuum.
 - c. none of these activities are necessary when cleaning up lead dust
 - d. thorough mopping is enough.
 - e. use water, detergent and a HEPA vacuum.

7. Housing for the elderly is considered "Target Housing" when _____.
- any person born after 1978 resides or is expected to reside in such housing.
 - any person born before 1978 resides or is expected to reside in such housing.
 - none of the above
 - any child who is more than 6 years of age resides or is expected to reside in such housing.
 - any child who is 6 years of age or younger resides or is expected to reside in such housing.
8. Child-occupied facilities may be located _____
- in target housing only.
 - in a public or commercial building or in target housing.
 - in a public building or in target housing only.
 - in a commercial building or in target housing only.
 - any building that will be occupied by least 5 children who are under 12 years old
9. When working on a property in which both HUD and EPA rules apply, the requirements of which rule should be followed?
- The more stringent of both law's requirements
 - Only the EPA requirements
 - Only the HUD requirements
 - Depends on the owner of the property.
 - none of the above
10. Firm responsibilities include:
- Ensuring that lead safe work practices are conducted according to the RRP rule
 - Meeting all recordkeeping requirements and conducting pre-renovation education
 - Designating a trained Certified Renovator to train non-certified employees
 - all of the above
 - none of the above
11. The HUD Lead Safe Housing Rule requirements involve which of the following:
- Requires paint chip sampling and appropriate testing kits
 - Requires lead safe work practices, occupant notification and clearance testing
 - Requires RRP Certified Renovator to train uncertified employees
 - Requires use of EPA-recognized test kits
 - None of the above
12. According to EPA, renovators are not required to use lead safe work practices for interior work if they are disturbing less than _____ per room of painted surface.
- 4 square feet (4 ft²)
 - 20 square feet (20 ft²)
 - 6 square feet (6 ft²)
 - 2 square feet (2 ft²)
 - none of the above
13. Everything & everybody leaving the area during renovation MUST be _____.
- HEPA vacuumed and then covered
 - covered and labeled
 - numbered and labeled
 - cleaned and HEPA vacuumed
 - none of the above

PBCR GA INITIAL EXAM A

14. When the individual certified renovator is called away from the jobsite, who is responsible for the job?
- The assigned certified renovator
 - Any other certified renovator still onsite
 - The company president.
 - The job site foreman
 - Any non-certified worker as long as they are trained by the certified renovator
15. According to the EPA rule, Certified Renovation Firms have up to 60 days before starting renovations to distribute the _____.
- the Pre-Renovation Education Rule
 - the Renovation, Repair, and Painting rule
 - none of these items
 - the Renovator's Certificate
 - Renovate Right pamphlet.
16. The only type of paint testing the GA Certified Renovator is allowed to conduct without additional certifications is:
- X-Ray Fluorescence instrument
 - Paint chip sampling
 - Visual abstraction and diagnosis
 - EPA-recognized chemical test kits
 - none of these items
17. If the project involves the elevated blood lead level of a resident child, then _____.
- proof the Renovate Right pamphlet was distributed must be retained for three years.
 - an independent inspection is required in lieu of the certified renovator's visual inspection.
 - notification to EPA must be made by the certified renovator,
 - none of these items
 - a certified renovator is not qualified to conduct this work.
18. Use of machines that remove lead-based paint through high speed operation are _____
- permitted if the work area is cleaned with a HEPA vacuum after the operation.
 - permitted with proper barriers
 - prohibited UNLESS used with attached HEPA filtered local capture ventilation.
 - permitted occasionally
 - none of these items
19. Waste from renovation activities must be _____ to prevent releases of dust and debris.
- wetted
 - encapsulated
 - none of these items
 - stopped
 - contained
20. All objects within the work area must be _____.
- removed and cleaned
 - covered and HEPA vacuumed
 - none of these items
 - removed or covered with 800 thread tarpaulin
 - removed or covered with plastic sheeting

PBCR GA INITIAL EXAM A

21. The certified renovator verifies his cleaning using a wet disposable cleaning cloth and _____.
- cleaning verification card
 - a wet mop
 - verifying there is no visible debris
 - a HEPA vacuum
 - none of these items
22. When considering containment, the certified renovator must cover floors or the ground with plastic sheeting a minimum of _____.
- 10 feet for interior and 6 feet for exterior beyond surfaces being renovated, repaired or painted.
 - 6 feet for interior and 10 feet exterior beyond surfaces being renovated, repaired or painted.
 - 10 feet for exterior and interior surfaces being renovated, repaired or painted.
 - 6 feet for interior and exterior surfaces being renovated, repaired or painted.
 - none of these items
23. When working on a portion of an interior painted wall, protective sheeting must extend _____.
- a minimum of 6 feet to the left, right and the entire length of the wall
 - a minimum of 10 feet to the left, right and front of that portion of wall
 - a minimum of 6 feet to the left, right and front of that portion of wall
 - a minimum of 10 feet to the left, right and the entire length of the wall
 - none of these items
24. During a visual inspection, the Certified Renovator is looking for:
- Disposable clothing in plastic bags
 - Dust, Debris and visible paint chips
 - Visible deterioration
 - an add-on
 - none of these items
25. If a food garden is near your exterior project, what should be done?
- Cover it.
 - Spray with appropriate disinfectant.
 - Check wind direction.
 - Warn the occupants.
 - none of these items
26. At a minimum, for a one week schedule, exterior work area cleaning must occur _____.
- at the end of the job
 - twice a day
 - none of these items
 - each hour
 - at least once per day
27. At a minimum, for exterior work, doors and windows within _____ feet of the work area must be closed.
- 10
 - 6
 - 20
 - 30
 - none of these items

28. Containing the work area does not include:
- Covering doors used to enter work area
 - Covering floors with plastic sheeting
 - Removing objects and furniture from work area
 - none of these items
 - Blasting surfaces to be removed
29. When planning containment, keeping in mind how much, and where the work practices to be used will create dust, and planning accordingly is the duty of the:
- OSHA
 - non-certified worker
 - Certified Renovator
 - independent third party
 - none of these items
30. When posting warning signs, signs must be _____.
- in English and Spanish
 - in English
 - in the primary language of the neighborhood
 - in the primary language of occupants
 - none of these items
31. Some items are prohibited on your jobs, which item group is allowed ?
- power sander with a HEPA attachment
 - Open flame burning
 - Heat Gun above 1,100 degrees Fahrenheit
 - high speed mechanical removal device
 - none of these items
32. If employees wear a respirator to protect against airborne lead exposure it should have which rating?
- Pb 95
 - Pb 100
 - N 95
 - N100
 - HEPA
33. Prohibited Practices that create large amounts of dust are:
- Hand scraping, torching, HEPA equipped power sanding and abrasive blasting
 - Hand scraping, torching, power sanding and abrasive blasting without a HEPA
 - HEPA Vacuuming and wet mopping
 - Sweeping and wiping
 - none of these items
34. If you obey all EPA and HUD rules, are you in compliance with the law?
- Yes!
 - No!
 - none of these items
 - If a tenant complains, you are in violation!
 - Not unless you are in compliance with OSHA, State, and Local rules too.

35. What should you and your workers do first when you get home?
- Hug your family
 - HEPA vacuum your clothes
 - Vacuum your shoes only
 - Shower
 - Call an Agency
36. If you use disposable shoe coverings, when and where should you remove them?
- Before leaving the floor covering of the work area.
 - At the end of the shift.
 - At lunch, breaks, and the end of the day.
 - Before leaving the property.
 - none of these items
37. When should you clean up paint chips?
- At the end of the shift.
 - At the end of the job.
 - As they drift from the work area.
 - As they are created.
 - none of these items
38. At a minimum, when must your workers wash their face and hands?
- Before eating, drinking or smoking.
 - Periodically to avoid ingesting leaded dust.
 - daily
 - At least once per hour.
 - none of these items
39. Bag and _____ all waste in heavy duty plastic bags.
- tie wrap seal
 - label
 - gooseneck seal
 - wet
 - none of these items
40. What is the last plastic sheeting on an interior project, to be removed from a renovation?
- wall plastic
 - plastic between non-contaminated rooms and work areas
 - floor plastic
 - plastic between non-contaminated rooms and outside
 - none of these items
41. In a Cleaning Verification (CV) Procedure, If the cloth matches or is lighter than the CV card, then _____.
- the tested surface has failed
 - the tested surface has passed
 - the tested surface must be re-cleaned
 - the tested surface must be re-tested
 - none of these items

42. A certified renovator conducts a visual inspection and the cleaning verification procedure. If the optional clearance examination is used, the clearance examination is _____.
- a. not required, and the Certified Renovator shall visually inspect only.
 - b. only done by an independent third party. Certified Lead Inspector, Risk Assessor, or Dust Sampling Technician.
Independently compared to the Certified Renovators results and both must pass.
 - d. used only when HEPA filtered specialized tools are used.
 - e. none of these items.
43. Before completing an exterior renovation, the certified renovator is required to _____.
- a. conduct a passing visual inspection and CV cards.
 - b. conduct a passing clearance inspection
 - c. none of these items
 - d. conduct soil sampling
 - e. conduct a passing visual inspection
44. The interior cleaning verification process:
- a. Applies to all floor surfaces including carpets
 - b. Compares each wipe to the CV card
 - c. Uses multiple wet disposable cleaning clothes per window sill
 - d. Can be conducted by any certified professional
 - e. none of these items
45. For exterior jobs, HUD requires:
- a. Only a visual inspection by a certified third party and no dust or soil testing
 - b. Both a visual inspection and a cleaning verification process
 - c. A certified lead inspector or risk assessor
 - d. All of the above
 - e. None of the above
46. When conducting a Cleaning Verification (CV) Procedure, What is the maximum square feet that can be wiped with one cloth?
- a. 6
 - b. 20
 - c. 10
 - d. 60
 - e. 40

PBCR GA INITIAL EXAM A

47. Records must be retained and made available to EPA, upon request, for _____ following completion of renovation.
- a. 3 years
 - b. 3 months
 - c. 7 years
 - d. 6 months
 - e. none of these items
48. Non-certified worker training documentation _____.
- a. must be kept by the certified renovator during renovation
 - b. must be kept at the renovation site during renovation
 - c. must be available through the certified firm
 - d. must be given to the non-certified worker within 30 days of training
 - e. none of these items
49. The certified renovator must have proof that the adult occupant/tenant has received _____ prior to renovation.
- a. a copy of EPA & HUD renovation regulations
 - b. Lead testing records
 - c. Renovate Right Pamphlet
 - d. Notice of Commencement
 - e. none of these items
50. The _____ is responsible for teaching lead-safe work practices to non-certified renovation workers.
- a. Certified Firm
 - b. Company Trainer
 - c. Training Company
 - d. Certified Renovator
 - e. EPA