

RRP Examination for Refresher

PLEASE DO NOT WRITE ON THIS EXAM

Your instructor will provide you with the registration form you completed at the beginning of this course. Please use the back of the signed registration form to record your answers.

Read the ENTIRE question before reading the multiple choice answers. Read the ALL of the multiple choice answers before making your selection. Choose the BEST possible answer to the question.

1. Records must be retained and made available to EPA, upon request, for _____ following completion of renovation.
 - a. 3 years
 - b. 3 months
 - c. 7 years
 - d. 6 months
 - e. none of these items

2. If the project involves the elevated blood lead level of a resident child, then _____ .
 - a. proof the Renovate Right pamphlet was distributed must be retained for three years.
 - b. an independent inspection is required in lieu of the certified renovator's visual inspection.
 - c. notification to EPA must be made by the certified renovator,
 - d. none of these items
 - e. a certified renovator is not qualified to conduct this work.

3. Lead exposure to workers and other adults can cause the following:
 - a. High blood pressure, blisters and physical fatigue.
 - b. High blood pressure, loss of teeth and physical fatigue.
 - c. High blood pressure, loss of hair and physical fatigue.
 - d. High blood pressure, sexual dysfunction and physical fatigue
 - e. Lead poisoning is not harmful if an adult receives chelating therapy

4. According to EPA, renovators are not required to use lead safe work practices for interior work if they are disturbing less than _____ per room of painted surface.
 - a. 4 square feet (4 ft²)
 - b. 20 square feet (20 ft²)
 - c. 6 square feet (6 ft²)
 - d. 2 square feet (2 ft²)
 - e. none of the above

5. This course meets the requirements of _____ for renovations of pre-1978 housing.
 - a. the Environmental Protection Agency and the Occupational Safety & Health Department
 - b. the EPA and OSHA
 - c. the Occupational Safety & Health Department and the Department of Housing and Urban Development
 - d. the Environmental Protection Agency and the Department of Housing and Urban Development
 - e. none of the above

RRP Examination for Refresher

6. According to the EPA rule, Certified Renovation Firms have up to 60 days before starting renovations to distribute the _____.
 - a. the Pre-Renovation Education Rule
 - b. the Renovation, Repair, and Painting rule
 - c. Renovate Right pamphlet.
 - d. the Renovator's Certificate
 - e. none of these items

7. Which of the following activities are performed when cleaning during a renovation where lead is present?
 - a. thorough sweeping is enough.
 - b. use water, detergent and any vacuum.
 - c. use water, detergent and a HEPA vacuum.
 - d. thorough mopping is enough.
 - e. none of these activities are necessary when cleaning up lead dust

8. The HUD Lead Safe Housing Rule requirements involve which of the following:
 - a. Requires paint chip sampling and appropriate testing kits
 - b. Requires use of EPA-recognized test kits
 - c. Requires RRP Certified Renovator to train uncertified employees
 - d. Requires lead safe work practices, occupant notification and clearance testing
 - e. None of the above

9. When should you clean up paint chips?
 - a. At the end of the shift.
 - b. At the end of the job.
 - c. As they drift from the work area.
 - d. As they are created.
 - e. none of these items

10. Everything & everybody leaving the area during renovation MUST be _____.
 - a. HEPA vacuumed and then covered
 - b. covered and labeled
 - c. numbered and labeled
 - d. cleaned and HEPA vacuumed
 - e. none of the above

11. Child-occupied facilities may be located _____.
 - a. in target housing only.
 - b. in a commercial building or in target housing only.
 - c. in a public building or in target housing only.
 - d. in a public or commercial building or in target housing.
 - e. any building that will be occupied by least 5 children who are under 12 years old

12. Housing for the elderly is considered "Target Housing" when _____.
 - a. any person born after 1978 resides or is expected to reside in such housing.
 - b. any person born before 1978 resides or is expected to reside in such housing.
 - c. any child who is less than 6 years of age resides or is expected to reside in such housing.
 - d. any child who is more than 6 years of age resides or is expected to reside in such housing.
 - e. none of the above

RRP Examination for Refresher

13. The only type of paint testing the Certified Renovator is allowed to conduct without additional certifications is:
- X-Ray Fluorescence instrument
 - Atomic absorption
 - Visual abstraction and diagnosis
 - EPA-recognized chemical test kits and paint chip sampling
 - none of these items
14. When the individual certified renovator is called away from the jobsite, who is responsible for the job?
- The assigned certified renovator
 - Any other certified renovator still onsite
 - The company president.
 - The job site foreman
 - Any non-certified worker as long as they are trained by the certified renovator
15. Lead exposure to children can cause the following:
- decreased intelligence, lung cancer, behavioral problems, and hyperactivity
 - decreased intelligence, mesothelioma, behavioral problems, and hyperactivity
 - decreased intelligence, learning difficulties, behavioral problems, and hyperactivity
 - decreased intelligence, warts, behavioral problems, and hyperactivity
 - lead poisoning is not harmful if a child receives chelating therapy
16. The certified renovator verifies his cleaning using a wet disposable cleaning cloth and _____.
- a HEPA vacuum
 - a wet mop
 - verifying there is no visible debris
 - cleaning verification card
 - none of these items
17. When conducting a Cleaning Verification (CV) Procedure, What is the maximum square feet that can be wiped with one cloth?
- 6
 - 20
 - 10
 - 60
 - 40
18. Use of machines that remove lead-based paint through high speed operation are _____.
- permitted if the work area is cleaned with a HEPA vacuum after the operation.
 - permitted with proper barriers
 - prohibited UNLESS used with attached HEPA filtered local capture ventilation.
 - permitted occasionally
 - none of these items
19. Waste from renovation activities must be _____ to prevent releases of dust and debris.
- wetted
 - encapsulated
 - contained
 - stopped
 - none of these items

RRP Examination for Refresher

20. When working on a portion of an interior painted wall, protective sheeting must extend _____.
- a minimum of 6 feet to the left, right and the entire length of the wall
 - a minimum of 10 feet to the left, right and front of that portion of wall
 - a minimum of 6 feet to the left, right and front of that portion of wall
 - a minimum of 10 feet to the left, right and the entire length of the wall
 - none of these items
21. If a food garden is near your exterior project, what should be done?
- Warn the occupants.
 - Spray with appropriate disinfectant.
 - Check wind direction.
 - Cover it.
 - none of these items
22. Prohibited Practices that create large amounts of dust are:
- Hand scraping, torching, HEPA equipped power sanding and abrasive blasting
 - Hand scraping, torching, power sanding and abrasive blasting without a HEPA
 - HEPA Vacuuming and wet mopping
 - Sweeping and wiping
 - none of these items
23. If you obey all EPA and HUD rules, are you in compliance with the law?
- Yes!
 - No!
 - Not unless you are in compliance with OSHA, State, and Local rules too.
 - If a tenant complains, you are in violation!
 - none of these items
24. What is the last plastic sheeting on an interior project, to be removed from a renovation?
- wall plastic
 - plastic between non-contaminated rooms and work areas
 - floor plastic
 - plastic between non-contaminated rooms and outside
 - none of these items
25. The _____ is responsible for teaching lead-safe work practices to non-certified renovation workers.
- Certified Firm
 - Company Trainer
 - Training Company
 - Certified Renovator
 - EPA